

Predator - How to Setup Partition


Use this how-to guide to Setup Partitioning job.

Pre-requisite

1. SQL Server Agent is running.

Instructions to create new SQL Job

1. Login to SQL Server
2. In the object Explore, Extended SQL Server Agent
3. Right click on Jobs and select New Job



4. Enter Name and description (if needed) as sample below

New Job

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Name: Predator Partition

Owner: dbo

Category: [Uncategorized (Local)]

Description: This Job will partition all transactional data tables in Predator based on the transaction datetime.

Enabled ☒

Server: GBNB4336\SQL2016_TR

Connection: GBNETUK\Twei.Ling

[View connection properties](#)

Progress: Ready

OK Cancel

5. Go to Steps, click New and enter the step name
- select Type as Transact-SQL Script (T-SQL)
 - select Database as Predator Online Database.

New Job Step

Select a page: General, Advanced

Script Help

Step name: Commence Job

Type: Transact-SQL script (T-SQL)

Run as:

Database: Predator

Command: EXEC [USP_LoadingService_Partition_DataTables_UPDATE]

Open... Select All Copy Paste Parse

Next Previous

OK Cancel

6. Copy and paste the statement below to the command text field

```
EXEC [USP_LoadingService_Partition_DataTables_UPDATE]
```

Related articles

- [How to Setup Archiving](#)
- [How to Setup Partition](#)